







Pulegge dentate RPP per bussola conica **SYSTEM-**[®]

RPP timing belt pulleys for taper bush **SYSTEM-**[®]

RPP Zahnriemenscheiben für Spannbuchse **SYSTEM-**[®]

Poulies dentées RPP pour moyeu amovible **SYSTEM-**[®]

Poleas dentadas RPP para casquillo cónico **SYSTEM-**[®]





Pulegge dentate RPP per bussola conica **SYSTEM-P**[®]

RPP timing belt pulleys for taper bush **SYSTEM-P**[®]


RPP Zahnriemenscheiben für Spannbuchse **SYSTEM-P**[®]

Poulies dentées RPP pour moyeu amovible **SYSTEM-P**[®]

Poleas dentadas RPP para casquillo cónico **SYSTEM-P**[®]

Forme costruttive

Design features - Konstruktionsmerkmale - Caractéristiques - Características





Pulegge dentate RPP per bussola conica SYSTEM-e®

RPP timing belt pulleys for taper bush SYSTEM-e®

RPP Zahnriemenscheiben für Spannbuchse SYSTEM-e®

Poulies dentées RPP pour moyeu amovible SYSTEM-e®

Poleas dentadas RPP para casquillo cónico SYSTEM-e®

RPP 8 - 20 Passo - Pitch - Teilung - Pas - Paso 8 mm

Materiale Material Werkstoff Matériel Material	Codice Item number Codierung Code Código	Descrizione Designation Bezeichnung Désignation Referencia	Bussola Bush Buchse Moyeu Casquillo	Foro Bore Bohrung Alésage Agujero max mm	Dp mm	De mm	Df mm	Dm mm	Di mm	F mm	S mm	R mm	Peso Weight Gewicht Poids Peso kg
Acciaio Steel Stahl Acier Acero	52G024020	B 24 RPP 8 20 - 3AF	2016	20	61,12	59,75	66,0	-	42,0	28,0	27,0	12,00	0,32
	52G026020	B 26 RPP 8 20 - 3F	2016	20	66,21	64,84	71,0	-	47,0	28,0	27,0	1,00	0,36
	52G028020	B 28 RPP 8 20 - 3F	2016	20	71,30	70,08	75,0	-	49,0	28,0	27,0	1,00	0,44
	52G030020	B 30 RPP 8 20 - 3AF	2825	30	76,39	75,13	83,0	-	58,0	28,0	37,0	3,00	0,55
Ghisa Cast iron Grauguß Fonte Fundición	52G032020	B 32 RPP 8 20 - 3AF	2825	30	81,49	80,16	87,0	-	62,0	28,0	37,0	3,00	0,65
	52G034020	B 34 RPP 8 20 - 3AF	3825	40	86,58	85,22	91,0	-	65,0	28,0	37,0	3,00	0,61
	52G036020	B 36 RPP 8 20 - 3AF	3825	40	91,67	90,30	98,5	-	71,0	28,0	37,0	3,00	0,54
	52G038020	B 38 RPP 8 20 - 3AF	3825	40	96,77	95,39	103,0	-	72,0	28,0	37,0	3,00	0,87
	52G040020	B 40 RPP 8 20 - 3AF	3825	40	101,86	100,49	106,0	-	76,0	28,0	37,0	3,00	1,02
	52G044020	B 44 RPP 8 20 - 2F	4830	50	112,05	110,67	119,0	93,0	-	28,0	45,0	2,00	1,23
	52G048020	B 48 RPP 8 20 - 2F	4830	50	122,23	120,86	127,0	95,0	-	28,0	45,0	2,00	1,57
	52G056020	B 56 RPP 8 20 - 2F	4830	50	142,60	141,23	148,0	110,0	-	28,0	45,0	2,00	2,45
	52G064020	B 64 RPP 8 20 - 2BF	4830	50	162,97	161,60	168,0	110,0	137,0	28,0	45,0	2,00	2,69
	52G072020	B 72 RPP 8 20 - 2BF	4830	50	183,35	181,97	192,0	110,0	158,0	28,0	45,0	2,00	3,16
	52G080020	B 80 RPP 8 20 - 2B	4830	50	203,72	202,35	-	110,0	180,0	28,0	45,0	2,00	4,50
	52G090020	B 90 RPP 8 20 - 2C	4830	50	229,18	227,81	-	110,0	204,0	28,0	45,0	2,00	3,70

RPP 8 - 30 Passo - Pitch - Teilung - Pas - Paso 8 mm

Materiale Material Werkstoff Matériel Material	Codice Item number Codierung Code Código	Descrizione Designation Bezeichnung Désignation Referencia	Bussola Bush Buchse Moyeu Casquillo	Foro Bore Bohrung Alésage Agujero max mm	Dp mm	De mm	Df mm	Dm mm	Di mm	F mm	S mm	R mm	Peso Weight Gewicht Poids Peso kg
Acciaio Steel Stahl Acier Acero	52G024030	B 24 RPP 8 30 - 3AF	2016	20	61,12	59,75	66,0	-	42,0	38,0	27,0	22,00	0,40
	52G026030	B 26 RPP 8 30 - 3F	2016	20	66,21	64,84	71,0	-	47,0	38,0	27,0	11,00	0,44
	52G028030	B 28 RPP 8 30 - 3F	2016	20	71,30	70,08	75,0	-	49,0	38,0	27,0	11,00	0,54
	52G030030	B 30 RPP 8 30 - 3AF	2825	30	76,39	75,13	83,0	-	58,0	38,0	37,0	13,00	0,67
Ghisa Cast iron Grauguß Fonte Fundición	52G032030	B 32 RPP 8 30 - 3F	2825	30	81,49	80,16	87,0	-	-	38,0	37,0	1,00	0,76
	52G034030	B 34 RPP 8 30 - 3AF	3825	40	86,58	85,22	91,0	-	65,0	38,0	37,0	13,00	0,75
	52G036030	B 36 RPP 8 30 - 3CF	3825	40	91,67	90,30	98,5	-	71,0	38,0	37,0	6,50	0,98
	52G038030	B 38 RPP 8 30 - 3CF	3825	40	96,77	95,39	103,0	-	72,0	38,0	37,0	6,50	1,04
	52G040030	B 40 RPP 8 30 - 3CF	3825	40	101,86	100,49	106,0	-	76,0	38,0	37,0	6,50	1,20
	52G044030	B 44 RPP 8 30 - 3CF	4830	50	112,05	110,67	119,0	-	91,0	38,0	45,0	4,00	1,38
	52G048030	B 48 RPP 8 30 - 3CF	4830	50	122,23	120,86	127,0	-	95,0	38,0	45,0	4,00	1,83
	52G056030	B 56 RPP 8 30 - 3CF	4830	50	142,60	141,23	148,0	-	117,0	38,0	45,0	4,00	2,75
	52G064030	B 64 RPP 8 30 - 2F	6045	65	162,97	161,60	168,0	135,0	-	38,0	63,0	7,00	4,50
	52G072030	B 72 RPP 8 30 - 2F	6045	65	183,35	181,97	192,0	140,0	-	38,0	63,0	7,00	6,00
	52G080030	B 80 RPP 8 30 - 2B	6045	65	203,72	202,35	-	140,0	180,0	38,0	63,0	7,00	5,40
	52G090030	B 90 RPP 8 30 - 2B	6045	65	229,18	227,81	-	140,0	204,0	38,0	63,0	7,00	6,20
	52G112030	B 112 RPP 8 30 - 2C	6045	65	285,21	283,83	-	140,0	260,0	38,0	63,0	7,00	7,50
	52G144030	B 144 RPP 8 30 - 2C	6045	65	366,69	365,32	-	140,0	341,0	38,0	63,0	7,00	9,80



Pulegge dentate RPP per bussola conica SYSTEM-e®

RPP timing belt pulleys for taper bush SYSTEM-e®

RPP Zahnriemenscheiben für Spannbuchse SYSTEM-e®

Poulies dentées RPP pour moyeu amovible SYSTEM-e®

Poleas dentadas RPP para casquillo cónico SYSTEM-e®

RPP 8 - 50 Passo - Pitch - Teilung - Pas - Paso 8 mm

Materiale Material Werkstoff Matériel Material	Codice Item number Codierung Code Código	Descrizione Designation Bezeichnung Désignation Referencia	Bussola Bush Buchse Moyeu Casquillo	Foro Bore Bohrung Alésage Agujero max mm	Dp mm	De mm	Df mm	Dm mm	Di mm	F mm	S mm	R mm	Peso Weight Gewicht Poids Peso kg
Acciaio Steel - Stahl Acier - Acero	52G028050	B 28 RPP 8 50 - 3DF	2016	20	71,30	70,08	75,0	-	49,0	60,0	27,0	22,00	0,76
	52G030050	B 30 RPP 8 50 - 3AF	2825	30	76,39	75,13	83,0	-	58,0	60,0	37,0	35,00	0,95
Ghisa Cast Iron Grauguß Fonte Fundición	52G032050	B 32 RPP 8 50 - 3F	2825	30	81,49	80,16	87,0	-	62,0	60,0	37,0	23,00	0,98
	52G034050	B 34 RPP 8 50 - 3AF	3825	40	86,58	85,22	91,0	-	65,0	60,0	37,0	35,00	1,00
	52G036050	B 36 RPP 8 50 - 3DF	3825	40	91,67	90,30	98,5	-	71,0	60,0	37,0	17,50	1,20
	52G038050	B 38 RPP 8 50 - 3DF	3825	40	96,77	95,39	103,0	-	72,0	60,0	37,0	17,50	1,43
	52G040050	B 40 RPP 8 50 - 3DF	3825	40	101,86	100,49	106,0	-	76,0	60,0	37,0	17,50	1,63
	52G044050	B 44 RPP 8 50 - 3F	4830	50	112,05	110,67	119,0	-	91,0	60,0	45,0	15,00	1,80
	52G048050	B 48 RPP 8 50 - 3F	4830	50	122,23	120,86	127,0	-	95,0	60,0	45,0	15,00	2,41
	52G056050	B 56 RPP 8 50 - 3CF	5040	55	142,60	141,23	148,0	-	116,0	60,0	58,0	10,00	3,80
	52G064050	B 64 RPP 8 50 - 3CF	6045	65	162,97	161,60	168,0	-	137,0	60,0	63,0	7,50	5,00
	52G072050	B 72 RPP 8 50 - 3CF	6045	65	183,35	181,97	192,0	-	158,0	60,0	63,0	7,50	6,70
	52G080050	B 80 RPP 8 50 - 3B	7540	75	203,72	202,35	-	-	-	60,0	59,0	-	7,50
	52G090050	B 90 RPP 8 50 - 4	7540	75	229,18	227,81	-	160,0	204,0	60,0	59,0	-	8,00
	52G112050	B 112 RPP 8 50 - 6	7540	75	285,21	283,83	-	160,0	260,0	60,0	59,0	-	9,50
	52G144050	B 144 RPP 8 50 - 6	7540	75	366,69	365,32	-	160,0	341,0	60,0	59,0	-	12,80
	52G168050	B 168 RPP 8 50 - 6	7540	75	427,81	426,44	-	160,0	402,0	60,0	59,0	-	15,00
	52G192050	B 192 RPP 8 50 - 6	7540	75	488,92	487,55	-	160,0	460,0	60,0	59,0	-	20,00

RPP 8 - 85 Passo - Pitch - Teilung - Pas - Paso 8 mm

Materiale Material Werkstoff Matériel Material	Codice Item number Codierung Code Código	Descrizione Designation Bezeichnung Désignation Referencia	Bussola Bush Buchse Moyeu Casquillo	Foro Bore Bohrung Alésage Agujero max mm	Dp mm	De mm	Df mm	Dm mm	Di mm	F mm	S mm	R mm	Peso Weight Gewicht Poids Peso kg
Ghisa Cast Iron Grauguß Fonte Fundición	52G034085	B 34 RPP 8 85 - 3DF	3825	40	86,58	85,22	91,0	-	70,0	95,0	37,0	35,00	1,20
	52G036085	B 36 RPP 8 85 - 3DF	3825	40	91,67	90,30	98,5	-	71,0	95,0	37,0	35,00	1,60
	52G038085	B 38 RPP 8 85 - 3DF	3825	40	96,77	95,39	103,0	-	72,0	95,0	37,0	35,00	2,05
	52G040085	B 40 RPP 8 85 - 3DF	3825	40	101,86	100,49	106,0	-	80,0	95,0	37,0	35,00	2,05
	52G044085	B 44 RPP 8 85 - 3DF	4830	50	112,05	110,67	119,0	-	91,0	95,0	45,0	32,50	2,05
	52G048085	B 48 RPP 8 85 - 3DF	4830	50	122,23	120,86	127,0	-	95,0	95,0	45,0	32,50	3,20
	52G056085	B 56 RPP 8 85 - 3DF	6035	65	142,60	141,23	148,0	-	122,0	95,0	53,0	30,00	3,72
	52G064085	B 64 RPP 8 85 - 3DF	6045	65	162,97	161,60	168,0	-	137,0	95,0	63,0	25,00	6,00
	52G072085	B 72 RPP 8 85 - 3F	7540	75	183,35	181,97	192,0	-	158,0	95,0	59,0	36,00	7,20
	52G080085	B 80 RPP 8 85 - 3	7540	75	203,72	202,35	-	-	180,0	95,0	59,0	36,00	8,80
	52G090085	B 90 RPP 8 85 - 5	7540	75	229,18	227,81	-	160,0	204,0	95,0	59,0	36,00	10,00
	52G112085	B 112 RPP 8 85 - 7	7540	75	285,21	283,83	-	160,0	260,0	95,0	59,0	36,00	12,40
	52G144085	B 144 RPP 8 85 - 7	7060	75	366,69	365,32	-	160,0	341,0	95,0	79,0	17,50	21,20
	52G168085	B 168 RPP 8 85 - 7	7060	75	427,81	426,44	-	160,0	402,0	95,0	79,0	17,50	21,30
	52G192085	B 192 RPP 8 85 - 7	7060	75	488,92	487,55	-	160,0	460,0	95,0	79,0	16,00	27,20




Pulegge dentate RPP per bussola conica SYSTEM-P®

RPP timing belt pulleys for taper bush SYSTEM-P®

RPP Zahnriemenscheiben für Spannbuchse SYSTEM-P®

Poulies dentées RPP pour moyeu amovible SYSTEM-P®

Poleas dentadas RPP para casquillo cónico SYSTEM-P®



RPP 14 - 40

Passo - Pitch - Teilung - Pas - Paso 14 mm

Materiale Material Werkstoff Matériel Material	Codice Item number Codierung Code Código	Descrizione Designation Bezeichnung Désignation Referencia	Bussola Bush Buchse Moyeu Casquillo	Foro Bore Bohrung Alésage Agujero max mm	Dp	De	Df	Dm	Di	F	S	R	Peso Weight Gewicht Poids Peso kg
					mm	mm	mm	mm	mm	mm	mm	mm	
Ghisa Cast iron Grauguß Fonte Fundición	521028040	B 28 RPP14 40 - 3F	4830	50	124,78	122,12	127,0	-	90,0	54,0	45,0	9,00	2,25
	521029040	B 29 RPP14 40 - 3F	4830	50	129,23	126,57	138,0	-	95,0	54,0	45,0	9,00	2,70
	521030040	B 30 RPP14 40 - 3F	4830	50	133,69	130,99	138,0	-	98,0	54,0	45,0	9,00	3,00
	521032040	B 32 RPP14 40 - 3F	4830	50	142,60	139,88	154,0	-	105,0	54,0	45,0	9,00	2,40
	521034040	B 34 RPP14 40 - 3F	6035	65	151,52	148,79	160,0	-	-	54,0	53,0	1,00	3,60
	521036040	B 36 RPP14 40 - 3F	6035	65	160,43	157,68	168,0	-	-	54,0	53,0	1,00	4,25
	521038040	B 38 RPP14 40 - 3F	6035	65	169,34	166,60	183,0	-	-	54,0	53,0	1,00	4,91
	521040040	B 40 RPP14 40 - 3F	6035	65	178,25	175,49	188,0	-	-	54,0	53,0	1,00	5,50
	521044040	B 44 RPP14 40 - 3BF	7540	75	196,08	193,28	211,0	-	-	54,0	59,0	-	7,00
	521048040	B 48 RPP14 40 - 3BF	7540	75	213,90	211,11	226,0	-	-	54,0	59,0	-	8,00
	521056040	B 56 RPP14 40 - 4F	7540	75	249,55	246,76	256,0	160,0	208,0	54,0	59,0	-	9,60
	521064040	B 64 RPP14 40 - 4F	7540	75	285,21	282,41	296,0	160,0	239,0	54,0	59,0	-	12,30
	521072040	B 72 RPP14 40 - 4	7540	75	320,86	318,06	-	160,0	280,0	54,0	59,0	-	14,00
	521080040	B 80 RPP14 40 - 6	7540	75	356,51	353,71	-	160,0	315,0	54,0	59,0	-	15,10
	521090040	B 90 RPP14 40 - 6	7540	75	401,07	398,28	-	160,0	358,0	54,0	59,0	-	16,30
	521112040	B 112 RPP14 40 - 6	7540	75	499,11	496,32	-	160,0	457,0	54,0	59,0	-	24,00
	521144040	B 144 RPP14 40 - 6	7540	75	641,71	638,92	-	160,0	600,0	54,0	59,0	-	31,70
	521168040	B 168 RPP14 40 - 6	7540	75	748,66	745,87	-	160,0	706,0	54,0	59,0	-	39,50
	521192040	B 192 RPP14 40 - 6	7540	75	855,62	852,82	-	160,0	813,0	54,0	59,0	-	50,40
	521216040	B 216 RPP14 40 - 6 *	7540	75	962,57	959,76	-	160,0	920,0	54,0	59,0	-	59,00

* A richiesta - On request - Auf Anfrage - Sur demande - Bajo consulta.



Pulegge dentate RPP per bussola conica SYSTEM-e®

RPP timing belt pulleys for taper bush SYSTEM-e®

RPP Zahnriemenscheiben für Spannbuchse SYSTEM-e®

Poulies dentées RPP pour moyeu amovible SYSTEM-e®

Poleas dentadas RPP para casquillo cónico SYSTEM-e®

RPP 14 - 55 Passo - Pitch - Teilung - Pas - Paso 14 mm

Materiale Material Werkstoff Matériel Material	Codice Item number Codierung Code Código	Descrizione Designation Bezeichnung Désignation Referencia	Bussola Bush Buchse Moyeu Casquillo	Foro	Dp	De	Df	Dm	Di	F	S	R	Peso
				Bore Bohrung Alésage Agujero max mm									Weight Gewicht Poids Peso kg
Ghisa Cast iron Grauguß Fonte Fundición	52I028055	B 28 RPP14 55 - 3F	4830	50	124,78	122,12	127,0	-	90,0	70,0	45,0	25,00	2,72
	52I029055	B 29 RPP14 55 - 3F	4830	50	129,23	126,57	138,0	-	95,0	70,0	45,0	25,00	2,90
	52I030055	B 30 RPP14 55 - 3F	4830	50	133,69	130,99	138,0	-	98,0	70,0	45,0	25,00	3,30
	52I032055	B 32 RPP14 55 - 3F	6035	65	142,60	139,88	154,0	-	111,0	70,0	53,0	17,50	3,20
	52I034055	B 34 RPP14 55 - 3F	6035	65	151,52	148,79	160,0	-	115,0	70,0	53,0	17,50	4,20
	52I036055	B 36 RPP14 55 - 3F	6035	65	160,43	157,68	168,0	-	124,0	70,0	53,0	17,50	4,68
	52I038055	B 38 RPP14 55 - 3F	6035	65	169,34	166,60	183,0	-	130,0	70,0	53,0	17,50	5,60
	52I040055	B 40 RPP14 55 - 3F	6035	65	178,25	175,49	188,0	-	140,0	70,0	53,0	17,50	6,00
	52I044055	B 44 RPP14 55 - 3F	7540	75	196,08	193,28	211,0	-	150,0	70,0	59,0	11,00	8,00
	52I048055	B 48 RPP14 55 - 3F	7540	75	213,90	211,11	226,0	-	170,0	70,0	59,0	11,00	9,80
	52I056055	B 56 RPP14 55 - 5F	7540	75	249,55	246,76	256,0	160,0	208,0	70,0	59,0	11,00	11,00
	52I064055	B 64 RPP14 55 - 5F	7540	75	285,21	282,41	296,0	160,0	239,0	70,0	59,0	11,00	14,00
	52I072055	B 72 RPP14 55 - 5	7540	75	320,86	318,06	-	160,0	280,0	70,0	59,0	11,00	15,30
	52I080055	B 80 RPP14 55 - 7	7540	75	356,51	353,71	-	160,0	315,0	70,0	59,0	11,00	16,80
	52I090055	B 90 RPP14 55 - 7	7540	75	401,07	398,28	-	160,0	358,0	70,0	59,0	11,00	19,00
	52I112055	B 112 RPP14 55 - 7	7540	75	499,11	496,32	-	160,0	457,0	70,0	59,0	11,00	27,50
	52I144055	B 144 RPP14 55 - 7	7540	75	641,71	638,92	-	160,0	600,0	70,0	59,0	11,00	35,50
	52I168055	B 168 RPP14 55 - 7	7540	75	748,66	745,87	-	160,0	706,0	70,0	59,0	11,00	49,00
	52I192055	B 192 RPP14 55 - 7	7540	75	855,62	852,82	-	160,0	813,0	70,0	59,0	11,00	54,20
	52I216055	B 216 RPP14 55 - 2C *	9085	95	962,57	959,76	-	200,0	920,0	70,0	105,0	15,00	71,80

RPP 14 - 85 Passo - Pitch - Teilung - Pas - Paso 14 mm

Materiale Material Werkstoff Matériel Material	Codice Item number Codierung Code Código	Descrizione Designation Bezeichnung Désignation Referencia	Bussola Bush Buchse Moyeu Casquillo	Foro	Dp	De	Df	Dm	Di	F	S	R	Peso
				Bore Bohrung Alésage Agujero max mm									Weight Gewicht Poids Peso kg
Ghisa Cast iron Grauguß Fonte Fundición	52I028085	B 28 RPP14 85 - 3DF	5040	55	124,78	122,12	127,0	-	101,0	102,0	58,0	31,00	2,92
	52I029085	B 29 RPP14 85 - 3DF	5040	55	129,23	126,57	138,0	-	101,0	102,0	58,0	31,00	3,50
	52I030085	B 30 RPP14 85 - 3DF	5040	55	133,69	130,99	138,0	-	101,0	102,0	58,0	31,00	3,90
	52I032085	B 32 RPP14 85 - 3DF	6035	65	142,60	139,88	154,0	-	111,0	102,0	53,0	33,50	4,20
	52I034085	B 34 RPP14 85 - 3DF	6035	65	151,52	148,79	160,0	-	115,0	102,0	53,0	33,50	5,50
	52I036085	B 36 RPP14 85 - 3DF	6045	65	160,43	157,68	168,0	-	120,0	102,0	63,0	28,50	6,80
	52I038085	B 38 RPP14 85 - 3DF	6045	65	169,34	166,60	183,0	-	130,0	102,0	63,0	28,50	8,00
	52I040085	B 40 RPP14 85 - 3DF	7540	75	178,25	175,49	188,0	-	145,0	102,0	59,0	31,00	7,40
	52I044085	B 44 RPP14 85 - 3DF	7060	75	196,08	193,28	211,0	-	155,0	102,0	79,0	21,00	11,00
	52I048085	B 48 RPP14 85 - 3CF	8070	80	213,90	211,11	226,0	-	170,0	102,0	88,0	16,00	13,70
	52I056085	B 56 RPP14 85 - 3BF	9085	95	249,55	246,76	256,0	-	-	102,0	105,0	-	22,00
	52I064085	B 64 RPP14 85 - 4F	9085	95	285,21	282,41	296,0	200,0	239,0	102,0	105,0	-	28,80
	52I072085	B 72 RPP14 85 - 4	9085	95	320,86	318,06	-	200,0	280,0	102,0	105,0	-	26,00
	52I080085	B 80 RPP14 85 - 6	9085	95	356,51	353,71	-	200,0	315,0	102,0	105,0	-	29,00
	52I090085	B 90 RPP14 85 - 6	9085	95	401,07	398,28	-	200,0	358,0	102,0	105,0	-	31,80
	52I112085	B 112 RPP14 85 - 6	9085	95	499,11	496,32	-	200,0	456,0	102,0	105,0	-	40,00
	52I144085	B 144 RPP14 85 - 6	9085	95	641,71	638,92	-	200,0	600,0	102,0	105,0	-	51,20
	52I168085	B 168 RPP14 85 - 6	9085	95	748,66	745,87	-	200,0	706,0	102,0	105,0	-	62,00
	52I192085	B 192 RPP14 85 - 6	10095	100	855,62	852,82	-	220,0	813,0	102,0	119,0	-	80,40
	52I216085	B 216 RPP14 85 - 6 *	10095	100	962,57	959,76	-	220,0	920,0	102,0	119,0	-	90,00

* A richiesta - On request - Auf Anfrage - Sur demande - Bajo consulta.



Pulegge dentate RPP per bussola conica SYSTEM-e®

RPP timing belt pulleys for taper bush SYSTEM-e®

RPP Zahnriemenscheiben für Spannbuchse SYSTEM-e®

Poulies dentées RPP pour moyeu amovible SYSTEM-e®

Poleas dentadas RPP para casquillo cónico SYSTEM-e®

RPP 14 - 115 Passo - Pitch - Teilung - Pas - Paso 14 mm

Materiale Material Werkstoff Matériel Material	Codice Item number Codierung Code Código	Descrizione Designation Bezeichnung Désignation Referencia	Bussola Bush Buchse Moyeu Casquillo	Foro Bore Bohrung Alésage Agujero	Dp	De	Df	Dm	Di	F	S	R	Peso Weight Gewicht Poids Peso
				max mm									mm
Ghisa Cast iron Grauguß Fonte Fundición	521032115	B 32 RPP14 115 - 3DF	6045	65	142,60	139,88	154,0	-	111,0	133,0	63,0	44,00	5,00
	521034115	B 34 RPP14 115 - 3DF	6045	65	151,52	148,79	160,0	-	118,0	133,0	63,0	44,00	6,50
	521036115	B 36 RPP14 115 - 3DF	6045	65	160,43	157,68	168,0	-	120,0	133,0	63,0	44,00	8,00
	521038115	B 38 RPP14 115 - 3DF	6045	65	169,34	166,60	183,0	-	130,0	133,0	63,0	44,00	9,20
	521040115	B 40 RPP14 115 - 3DF	7060	75	178,25	175,49	188,0	-	145,0	133,0	79,0	36,50	9,00
	521044115	B 44 RPP14 115 - 3DF	7060	75	196,08	193,28	211,0	-	155,0	133,0	79,0	36,50	13,00
	521048115	B 48 RPP14 115 - 3F	8070	80	213,90	211,11	226,0	-	170,0	133,0	88,0	45,00	16,00
	521056115	B 56 RPP14 115 - 3F	9085	95	249,55	246,76	256,0	-	208,0	133,0	105,0	28,00	24,00
	521064115	B 64 RPP14 115 - 5F	9085	95	285,21	282,41	296,0	200,0	239,0	133,0	105,0	28,00	32,00
	521072115	B 72 RPP14 115 - 5	9085	95	320,86	318,06	-	200,0	280,0	133,0	105,0	28,00	31,00
	521080115	B 80 RPP14 115 - 7	9085	95	356,51	353,71	-	200,0	315,0	133,0	105,0	28,00	33,10
	521090115	B 90 RPP14 115 - 7	9085	95	401,07	398,28	-	200,0	358,0	133,0	105,0	28,00	37,00
	521112115	B 112 RPP14 115 - 7	9085	95	499,11	496,32	-	200,0	456,0	133,0	105,0	28,00	49,00
	521144115	B 144 RPP14 115 - 7	10095	100	641,71	638,92	-	220,0	600,0	133,0	119,0	14,00	63,00
	521168115	B 168 RPP14 115 - 7	10095	100	748,66	745,87	-	220,0	706,0	133,0	119,0	14,00	77,50
	521192115	B 192 RPP14 115 - 7	10095	100	855,62	852,82	-	220,0	813,0	133,0	119,0	14,00	95,00
	521216115	B 216 RPP14 115 - 7 *	10095	100	962,57	959,76	-	220,0	920,0	133,0	119,0	14,00	105,00

RPP 14 - 170 Passo - Pitch - Teilung - Pas - Paso 14 mm

Materiale Material Werkstoff Matériel Material	Codice Item number Codierung Code Código	Descrizione Designation Bezeichnung Désignation Referencia	Bussola Bush Buchse Moyeu Casquillo	Foro Bore Bohrung Alésage Agujero	Dp	De	Df	Dm	Di	F	S	R	Peso Weight Gewicht Poids Peso
				max mm									mm
Ghisa Cast iron Grauguß Fonte Fundición	521044170	B 44 RPP14 170 - 3DF	8070	80	196,08	193,28	211,0	-	160,0	187,0	88,0	58,50	14,80
	521048170	B 48 RPP14 170 - 3DF	9085	95	213,90	211,11	226,0	-	175,0	187,0	105,0	51,00	19,10
	521056170	B 56 RPP14 170 - 3DF	9085	95	249,55	246,76	256,0	-	208,0	187,0	105,0	51,00	21,60
	521064170	B 64 RPP14 170 - 3DF	10095	100	285,21	282,41	296,0	-	239,0	187,0	119,0	46,00	39,00
	521072170	B 72 RPP14 170 - 3D	10095	100	320,86	318,06	-	220,0	280,0	187,0	119,0	46,00	42,50
	521080170	B 80 RPP14 170 - 3D	10095	100	356,51	353,71	-	220,0	315,0	187,0	119,0	46,00	44,80
	521090170	B 90 RPP14 170 - 7	10095	100	401,07	398,28	-	220,0	358,0	187,0	119,0	46,00	51,30
	521112170	B 112 RPP14 170 - 7	130120	130	499,11	496,32	-	250,0	456,0	187,0	145,0	42,00	68,60
	521144170	B 144 RPP14 170 - 7	130120	130	641,71	638,92	-	250,0	600,0	187,0	145,0	42,00	86,00
	521168170	B 168 RPP14 170 - 7	130120	130	748,66	745,87	-	250,0	706,0	187,0	145,0	42,00	114,00
	521192170	B 192 RPP14 170 - 7	130120	130	855,62	852,82	-	250,0	813,0	187,0	145,0	42,00	126,00
	521216170	B 216 RPP14 170 - 7 *	130120	130	962,57	959,76	-	250,0	920,0	187,0	145,0	42,00	147,50

* A richiesta - On request - Auf Anfrage - Sur demande - Bajo consulta.



POGGI®